



April 2024

Product list

Call Us 13 11 37

formboss.com.au



Why use FormBoss®?

Do it once, do it right!

Designed and made to look great and outlast alternative edging solutions! FormBoss® is made in Australia from durable Australian steel. FormBoss® is the complete steel garden edging solution for domestic and commercial projects of any size. A comprehensive range of edging profiles, gauges and material finishes are available Australia wide. Standard stock items also include a large range of preformed rings and three tiered planters. Talk to us, we also shape custom edging and features to meet your specifications.

Who needs FormBoss®?

Looking for a new edge to replace your tired looking and rotten timber edges, or flimsy plastic ones? Are you looking to increase the value of your home with landscaping? Perhaps you work in the industry and are fed up with installing edging products that don't do the job... and are a major headache to install! Edging by FormBoss® streamlines installation work flow and allows you to easily create any shape you can imagine. Reduce the completion time of any project and enjoy reduced maintenance with a longterm increase in property value.

Made in Australia

FormBoss® is manufactured in Melbourne, Australia by a dedicated team of industry specialists. We take great pride in further promoting the reputation of high quality manufacturing in Australia. Our products are not only distributed widely through out Australia but regularly exported into the demanding European market.

Australian BlueScope Steel

Being manufactured specifically to meet the high demands of a harsh Australian climate, Australian products and BlueScope steel in particular enjoy a well earned reputation for quality and durability. Steel used by FormBoss® meets very exacting standards for quality and is tested according to the relevant standards. AS/NZS standards are listed for all our BlueScope steel products. These industry recognised standards are critical in the selection of material, especially when specified for commercial applications. Often these standards are not available or relevant when comparing cheaper imported products.



The Complete Steel Garden Edging Solution.

FormBoss® is the original innovator of a complete steel garden edging system. A market leader in quality and safety, all FormBoss® products feature a rolled top lip that covers the stakes and connectors, leaving no sharp edges, safe for pets and children. Favoured by professional landscapers for well over a decade, FormBoss® is now being used and recognised by retail customers for its ease of installation and stunning results.

Quick and easy to install

The FormBoss® metal garden edging system is favoured by commercial landscapers due to the speed and ease of installation. The simplicity of installation and wide range of applications also make FormBoss® very DIY friendly. Installation is supported by comprehensive instructional and video support online, and other helpful advice is only ever a phone call away. Most shaping can be easily done on site and typical installations can be completed using a minimal set of tools. FormBoss® is perfect for updating existing gardens or laying out the frame work for a completely new garden. Save time and money by using FormBoss®, create a garden that is easy to maintain and will add lasting property value.

There is an edging for all projects

- Flush ground level definition
- Pathway definition
- Lawn edging
- Mulch retention
- Garden bed dividers
- Weed barriers
- Raised garden beds
- Tree rings
- Planters
- Retaining walls
- Garden stairs
- Terracing





Choices of gauges

FormBoss® metal edging lengths are all 2440mm, and all screws, rivets and connectors are included. All edging is supplied using the following specifications:

1.6mm

Available in:

- 75-185mm REDCOR® profiles.
- 75-185mm GALVABOND® profiles.



2.0mm

Available in:

- 75-580mm REDCOR® profiles.
- 75-580mm GALVABOND® profiles.
- 100-580mm ZAM® profiles.



2.5mm

Available in:

- 100-580mm REDCOR® profiles.
- 100-580mm GALVABOND® profiles.
- 100-580mm ZAM® profiles.

Choices of materials

REDCOR® “weathering” steel is made in Australia by BlueScope. It’s a perfect match for the contemporary Australian landscape. This style of corrosion resistant “rustic looking” steel is also referred to generically as “corten”.


AS/NZS 1595 - CW300-G

GALVABOND® quality galvanized G2 steel with guaranteed Z275 protection, made in Australia by BlueScope. Trusted and proven in the harsh Australian landscape. A traditional choice for classic gardens.

AS 1365, AS 1397:2001

ZAM® steel is made in Japan by Nisshin Steel. The Zinc, Aluminum and Magnesium coating is self healing and provides a superior durability and corrosion resistance, significantly better than Galvanized steel. A premium product and viable alternative to stainless steel for coastal areas.

ASTM A1046M



*Soil depth is recommended to be 1/3 of profile height.



FormBoss® 1.6mm gauge edging

With 5.5mm top width - lengths are all 2440mm. For defining lower edges, from flush up to 125mm visible. Easy to shape, and great value.

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
75mm	FBG16075	FBRC16075
100mm	FBG16100	FBRC16100
150mm	FBG16150	FBRC16150
185mm	FBG16185	FBRC16185

FormBoss® 2.0mm gauge edging

With 6.5mm top width - lengths are all 2440mm. For strong defining lower edges, for driveways or commercial applications. For retaining applications in the taller profiles. Perfect for flowing curves and straight lines.

PROFILE HEIGHT	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
75mm	FBG20075*	FBRC20075*	N/A
100mm	FBG20100	FBRC20100	FBZ20100*
150mm	FBG20150	FBRC20150	FBZ20150*
185mm	FBG20185	FBRC20185	FBZ20185*
230mm	FBG20230	FBRC20230	FBZ20230*
290mm	FBG20290	FBRC20290	FBZ20290*
390mm	FBG20390	FBRC20390	FBZ20390*
580mm	FBG20580	FBRC20580	FBZ20580*

*All Items marked are made to order, please allow up to 5 business days manufacturing lead time

FormBoss® 2.5mm gauge edging

With 7.5mm top width - lengths are all 2440mm. For extremely strong defining lower edges, suited for commercial applications, in heavy trafficked areas. For extra demanding retaining applications in the taller profiles. Also great for long straight lines, due to extra stability.

PROFILE HEIGHT	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
100mm	FBG25100*	FBRC25100*	FBZ25100*
150mm	FBG25150*	FBRC25150*	FBZ25150*
185mm	FBG25185*	FBRC25185*	FBZ25185*
230mm	FBG25230*	FBRC25230*	FBZ25230*
290mm	FBG25290*	FBRC25290*	FBZ25290*
390mm	FBG25390*	FBRC25390*	FBZ25390*
580mm	FBG25580*	FBRC25580*	FBZ25580*

*All Items marked are made to order, please allow up to 5 business days manufacturing lead time






Tapered and Angled Stakes

From flush defining edges to 450mm retaining walls the FormBoss® stake range allows you to choose a stake size that is best suited to your needs. Three stakes per length is the standard recommendation, however long straight lines or heavy retaining may require more stakes. The stakes are precision laser cut and made to perfectly fit under the top rolled lip of the edging.

Stakes do not require fasteners at the top of the edge due to the lip design. They are secured with tek screws at the bottom of the edging, just below the soil level.

Rivets are required above ground level to secure stakes when using 290mm, 390mm and 580mm profiles for a clean professional finish added.

Stakes should be approximately 2x to 3x the profile height depending on soil type and application.



Flat Tapered Stakes 2.5mm gauge

Suits FormBoss® profiles from 75mm to 185mm. Use one tek screw below soil level to secure each stake. All stakes are supplied with screws.

STAKE LENGTH	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
240mm	FBS25240	FBSRC25240	FBSZ25240
300mm	FBS25300	FBSRC25300	FBSZ25300
400mm	FBS25400	FBSRC25400	FBSZ25400

Angled Retaining Stakes 3.0mm gauge

Made from 3mm gauge steel (30mmx50mm/90°angled), are stronger than “star pickets”, and integrate perfectly with the FormBoss® edging system. The right angle 30mm ridge providing extra retaining support. The 400mm and 600mm stakes require two screws, side by side, below soil level. The 800mm stakes also require a rivet halfway up to stop bowing. When using the 1200mm stakes and 580mm edging we recommend two rivets, one approximately 200mm from the top and one approximately 400mm from the top. All rivets and screws are supplied with the stakes.

STAKE LENGTH	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
400mm	FBASG30400	FBASRC30400	FBASZ30400
600mm	FBASG30600	FBASRC30600	FBASZ30600
800mm	FBASG30800	FBASRC30800	FBASZ30800
1200mm	FBASG301200	FBASRC301200	FBASZ301200

*All ZAM® Angled Retaining Stakes are made to order, please allow up to 5 business days manufacturing lead time



Rings and tiered planters

- GALVABOND® and REDCOR® rings 75mm to 185mm are 1.6mm gauge and 230mm to 850mm are 2.0mm gauge
- ZAM® rings are all 2.0mm gauge
- We can also make custom rings to any size required, all custom work is quoted inclusive of material and fabrication costs
- All rings are supplied unjoined
- All tiered planters are supplied fully joined
- GALVABOND® and ZAM® rings are made to order (*10 business days manufacturing lead time required)



Video instructions for joining can be found online

www.formboss.com.au/simple-to-install/#join_rings

FormBoss® 777mm diameter rings

Unjoined Gal and ZAM® are made to order and require ~10 business days manufacturing lead time Galvabond® and Redcor® rings 75mm to 185mm are 1.6mm gauge and 230mm to 850mm are 2.0mm gauge. All ZAM® rings are 2.0mm gauge.

PROFILE HEIGHT	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
75mm	RFBG0751L	RFBRC0751L	N/A
100mm	RFBG1001L	RFBRC1001L	RFBZ1001L
150mm	RFBG1501L	RFBRC1501L	RFBZ1501L
185mm	RFBG1851L	RFBRC1851L	RFBZ1851L
230mm	RFBG2301L	RFBRC2301L	RFBZ2301L
290mm	RFBG2901L	RFBRC2901L	RFBZ2901L
390mm	RFBG3901L	RFBRC3901L	RFBZ3901L
580mm	RFBG5801L	RFBRC5801L	RFBZ5801L
850mm	RFBG8501L	RFBRC8501L	N/A

FormBoss® 1165mm diameter rings

Supplied unjoined, Gal and ZAM® are made to order and require ~10 business days manufacturing lead time Galvabond® and Redcor® rings 75mm to 185mm are 1.6mm gauge and 230mm to 580mm are 2.0mm gauge. All ZAM® rings are 2.0mm gauge.

PROFILE HEIGHT	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
75mm	RFBG07515L	RFBRC07515L	N/A
100mm	RFBG10015L	RFBRC10015L	RFBZ10015L
150mm	RFBG15015L	RFBRC15015L	RFBZ15015L
185mm	RFBG18515L	RFBRC18515L	RFBZ18515L
230mm	RFBG23015L	RFBRC23015L	RFBZ23015L
290mm	RFBG29015L	RFBRC29015L	RFBZ29015L
390mm	RFBG39015L	RFBRC39015L	RFBZ39015L
580mm	RFBG58015L	RFBRC58015L	RFBZ58015L
850mm	RFBG85015L	RFBRC85015L	N/A

FormBoss® 1554mm diameter rings

Supplied unjoined, Gal and ZAM® are made to order and require ~10 business days manufacturing lead time Galvabond® and Redcor® rings 75mm to 185mm are 1.6mm gauge and 230mm to 580mm are 2.0mm gauge. All ZAM® rings are 2.0mm gauge.

PROFILE HEIGHT	GALVABOND®	REDCOR®	ZAM®
	ITEM CODE	ITEM CODE	ITEM CODE
75mm	RFBG0752L	RFBRC0752L	N/A
100mm	RFBG1002L	RFBRC1002L	RFBZ1002L
150mm	RFBG1502L	RFBRC1502L	RFBZ1502L
185mm	RFBG1852L	RFBRC1852L	RFBZ1852L
230mm	RFBG2302L	RFBRC2302L	RFBZ2302L
290mm	RFBG2902L	RFBRC2902L	RFBZ2902L
390mm	RFBG3902L	RFBRC3902L	RFBZ3902L
580mm	RFBG5802L	RFBRC5	RFBZ58



FormBoss® 580mm diameter rings

All rings are supplied unjoined, unless otherwise requested.

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
75mm	RFBG075S	RFBRC075S
100mm	RFBG100S	RFBRC100S
150mm	RFBG150S	RFBRC150S
185mm	N/A	RFBRC185S
230mm	N/A	RFBRC230S
290mm	N/A	RFBRC290S
390mm	N/A	RFBRC390S
580mm	N/A	RFBRC580S

FormBoss® Redcor® tiered planters

Supplied fully joined with the main ring.

PLANTER HEIGHT	REDCOR®
	ITEM CODE
3 tiered 390mm	FB3TP390
3 tiered 580mm	FB3TP580







Corner pieces and angled brackets

Corner pieces are a 610mm length of edging with a bend in the centre, creating a perfect 90-degree corner piece, that attaches to the edging with the provided connectors. Corner pieces start at 100mm and go up to 580mm. Please select internal (IN), which has the rolled lip on the inside of the bend or external (OUT), which has the safety lip on the outside of the bend. Galvanised and ZAM® corners are made to order and manufacturing lead times apply*.

Where stakes cannot be used to support FormBoss® products, such as roof top gardens

and decking areas, L-shaped angled brackets should be used. As with the stakes, the brackets slip under the rolled top lip and are secured to the edging using either self-taping screws or rivets. To secure the angled brackets to the ground, Dynabolts™ are the preferred option, if this is not practical a strong adhesive can be used as a substitute.

L-shaped angled brackets elevate edging slightly to allow for drainage. Brackets should be at least 5mm higher than the edging profile to provide sufficient drainage.

Corner Pieces

Corner Piece 305mm X 305mm Lip Inside Variation

Please note: All Corner Pieces are made to order, please allow up to 5 business days manufacturing lead time.

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
1.6mm x 75mm	CORNERG75IN	CORNERRC75IN
1.6mm x 100mm	CORNERG100IN	CORNERRC100IN
1.6mm x 150mm	CORNERG150IN	CORNERRC150IN
1.6mm x 185mm	CORNERG185IN	CORNERRC185IN
2.0mm x 75mm	CORNERG75IN2.0	CORNERRC75IN2.0
2.0mm x 100mm	CORNERG100IN2.0	CORNERRC100IN2.0
2.0mm x 150mm	CORNERG150IN2.0	CORNERRC150IN2.0
2.0mm x 185mm	CORNERG185IN2.0	CORNERRC185IN2.0
2.0mm x 230mm	CORNERG230IN	CORNERRC230IN
2.0mm x 290mm	CORNERG290IN	CORNERRC290IN
2.0mm x 390mm	CORNERG390IN	CORNERRC390IN
2.0mm x 580mm	CORNERG580IN	CORNERRC580IN

Corner Piece 305mm X 305mm Lip Outside Variation

Please note: All Corner Pieces are made to order, please allow up to 5 business days manufacturing lead time.

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
1.6mm x 75mm	CORNERG75OUT	CORNERRC75OUT
1.6mm x 100mm	CORNERG100OUT	CORNERRC100OUT
1.6mm x 150mm	CORNERG150OUT	CORNERRC150OUT
1.6mm x 185mm	CORNERG185OUT	CORNERRC185OUT
2.0mm x 75mm	CORNERG75OUT2.0	CORNERRC75OUT2.0
2.0mm x 100mm	CORNERG100OUT2.0	CORNERRC100OUT2.0
2.0mm x 150mm	CORNERG150OUT2.0	CORNERRC150OUT2.0
2.0mm x 185mm	CORNERG185OUT2.0	CORNERRC185OUT2.0
2.0mm x 230mm	CORNERG230OUT	CORNERRC230OUT
2.0mm x 290mm	CORNERG290OUT	CORNERRC290OUT
2.0mm x 390mm	CORNERG390OUT	CORNERRC390OUT
2.0mm x 580mm	CORNERG580OUT	CORNERRC580OUT

Rounded Corner Piece 305mm X 305mm Lip Inside Variation

Please note: All Corner Pieces are made to order, please allow up to 5 business days manufacturing lead time.

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
1.6mm x 75mm	CORNERG75IN.ROUND	CORNERRC75IN.ROUND
1.6mm x 100mm	CORNERG100IN.ROUND	CORNERRC100IN.ROUND
1.6mm x 150mm	CORNERG150IN.ROUND	CORNERRC150IN.ROUND
1.6mm x 185mm	CORNERG185IN.ROUND	CORNERRC185IN.ROUND
2.0mm x 75mm	CORNERG75IN.ROUND2.0	CORNERRC75IN.ROUND2.0
2.0mm x 100mm	CORNERG100IN.ROUND2.0	CORNERRC100IN.ROUND2.0
2.0mm x 150mm	CORNERG150IN.ROUND2.0	CORNERRC150IN.ROUND2.0
2.0mm x 185mm	CORNERG185IN.ROUND2.0	CORNERRC185IN.ROUND2.0



L Shaped Angled Brackets

To support edging on top of solid surfaces

PROFILE HEIGHT	GALVABOND®	REDCOR®
	ITEM CODE	ITEM CODE
80mm	ABG075	ABRC075
105mm	ABG100	ABRC100
155mm	ABG150	ABRC150
190mm	ABG185	ABRC185
235mm	ABG230	ABRC230
295mm	ABG290	ABRC290
395mm	ABG390	ABRC390
585mm	ABG580	ABRC580



FormBoss® Rings are **NOW AVAILABLE**



Elevate your landscaping projects with precision-crafted FormBoss 777 Redcor Rings, now available only at authorised FormBoss stockists, ensuring durability and custom options to bring your outdoor vision to life.

Select from the FormBoss range of profile sizes:
Heights 77, 100, 150, 185, 230, 290, 390, 580 and 850mm
Widths 590, 777, 1165 and 1554mm

FormBoss™





Special production and custom work

All special production and custom work must be requested via email:

info@greenlines.com.au.

Please include a sketch and ensure that all relevant information is included such as: Material finish, profile height, shape, degree of angle for bends or radius for circular items and length.

All special production work has a manufacturing lead time of up to 10 business days, while we endeavour to complete orders ahead of schedule, at peak periods this is not always possible.



Custom Cutting and Welding

PROFILE HEIGHT	CUTTING	WELDING
	ITEM CODE	ITEM CODE
75-850mm	CC*	Weld*

*Items marked are made to order, please allow up to 10 business days manufacturing lead time.

Custom Rolling and Bending

Please specify lip inside or outside.

PROFILE HEIGHT	ROLLING	BENDING
	ITEM CODE	ITEM CODE
75-185mm	ROLL75-185	BEND75-185
230mm	ROLL230	BEND230
290mm	ROLL290	BEND290
390mm	ROLL390	BEND390
580mm	ROLL580	BEND580

Accessories

Make your installation as easy as possible.

ITEM CODE	ITEM DESCRIPTION
RS	Neoprone Forming Strip 3mm x 20mm x 2500mm (makes tight curves easier)
TH	Quality magnetic 8mm hex head driver
VG	Milwaukee 200mm Locking Seamer (#48223540) ~ "vice grip"
RM	Rubber Mallet 1.2kg with red fibreglass handle
IK	Installation Kit includes all the above items (RS, TH, VG, RM)
DH	1.6kg Deadblow Hammer (makes driving in angled stakes easy)



Get the leading edge.

What Our Customers Say...

“

FormBoss is always our preferred product for steel edging as its quality is high, lead time is short and installation is as easy as it gets - leaving us with a well-priced, good-looking finish.

”

NewGrow Systems Manager Kenan Huric

“

When it comes to garden edging, you need a product that is strong, versatile and weather-resistant - and you can't get anything that fits the bill better than steel. The FormBoss range of low-maintenance steel garden edging lets you be the boss of your own garden design.

”

Outdoor Entertaining

For further technical advice visit www.formboss.com.au or call 13 11 37

Call Us 13 11 37

formboss.com.au

32 Centre Way, Croydon South, Victoria 3136

April 2024