




SHAPESCAPER®

Modular Steel Garden Edging and Planters






www.shapescaper.com.au





www.shapescaper.com.au



www.shapescaper.com.au



www.shapescaper.com.au



230mm, 300mm and 400mm
ribbed stakes are used with
75mm-185mm edging

450mm, 580mm, 780mm and 1180mm
heavy duty "L" profile stakes are used
with 230mm-590mm edging



QR link to installation
instructions

www.shapescaper.com.au

SHAPESCAPER® weathering steel garden edging

Manufactured in Australia with BlueScope® Steel

Lengths are supplied with connector plates and fasteners. Pre-drilled holes make assembly and alignment easy. SHAPESCAPER® landscape edging is a modular steel landscaping system available in eight profile heights at 75mm, 100mm, 150mm, 185mm, 230mm, 290mm, 390mm and 590mm. All lengths are 2400mm long and the lower profiles can be shaped on site into angled bends or flowing curves. SHAPESCAPER® weathering steel garden edging is made using Redcor® from BlueScope® steel and is equivalent in specification to “corten”.

REDCOR® GARDEN EDGING all prices inc GST

Product Code	Edging Height	Steel Type	Steel Thickness	Recommended Stakes	Edging Length	Notes
SE075R16	75mm	REDCOR®	1.6mm	SS230R 230mm stake	2400mm	
SE100R16	100mm	REDCOR®	1.6mm	SS300R 300mm stake	2400mm	
SE150R16	150mm	REDCOR®	1.6mm	SS400R 400mm stake	2400mm	
SE185R16	185mm	REDCOR®	1.6mm	SS400R 400mm stake	2400mm	
SE075R20	75mm	REDCOR®	2.0mm	SS230R 230mm stake	2400mm	
SE100R20	100mm	REDCOR®	2.0mm	SS300R 300mm stake	2400mm	
SE150R20	150mm	REDCOR®	2.0mm	SS400R 400mm stake	2400mm	
SE185R20	185mm	REDCOR®	2.0mm	SS400R 400mm stake	2400mm	
SE230R20	230mm	REDCOR®	2.0mm	SS450R 450mm stake	2400mm	
SE290R20	290mm	REDCOR®	2.0mm	SS580R 580mm stake	2400mm	
SE390R20	390mm	REDCOR®	2.0mm	SS780R 780mm stake	2400mm	
SE590R20	590mm	REDCOR®	2.0mm	SS1180R 1180mm stake	2400mm	
SE100R25	100mm	REDCOR®	2.5mm	SS300R 300mm stake	2400mm	
SE150R25	150mm	REDCOR®	2.5mm	SS400R 400mm stake	2400mm	
SE185R25 **	185mm	REDCOR®	2.5mm	SS400R 400mm stake	2400mm	
SE230R25 **	230mm	REDCOR®	2.5mm	SS450R 450mm stake	2400mm	
SE290R25 **	290mm	REDCOR®	2.5mm	SS580R 580mm stake	2400mm	
SE390R25 **	390mm	REDCOR®	2.5mm	SS780R 780mm stake	2400mm	
SE590R25 **	590mm	REDCOR®	2.5mm	SS1180R 1180mm stake	2400mm	

** please note 14-21 days lead time required



www.shapescaper.com.au

SHAPESCAPER® Galvanised steel garden edging

Manufactured in Australia with BlueScope® Steel

Lengths are supplied with connector plates and fasteners. Pre-drilled holes make assembly and alignment easy. SHAPESCAPER® landscape edging is a modular steel landscaping system available in eight profile heights at 75mm, 100mm, 150mm, 185mm, 230mm, 290mm, 390mm and 590mm. All lengths are 2400mm long and the lower profiles can be shaped on site into angled bends or flowing curves. SHAPESCAPER® galvanised steel garden edging is made using GALVABOND® from BlueScope® steel.

GALVABOND® GARDEN EDGING all prices inc GST

Product Code	Edging Height	Steel Type	Steel Thickness	Recommended Stakes	Edging Length	Notes
SE075G16	75mm	GALVABOND®	1.6mm	SS230G 230mm stake	2400mm	
SE100G16	100mm	GALVABOND®	1.6mm	SS300G 300mm stake	2400mm	
SE150G16	150mm	GALVABOND®	1.6mm	SS400G 400mm stake	2400mm	
SE185G16	185mm	GALVABOND®	1.6mm	SS400G 400mm stake	2400mm	
SE075G20	75mm	GALVABOND®	2.0mm	SS230G 230mm stake	2400mm	
SE100G20	100mm	GALVABOND®	2.0mm	SS300G 300mm stake	2400mm	
SE150G20	150mm	GALVABOND®	2.0mm	SS400G 400mm stake	2400mm	
SE185G20	185mm	GALVABOND®	2.0mm	SS400G 400mm stake	2400mm	
SE230G20	230mm	GALVABOND®	2.0mm	SS450G 450mm stake	2400mm	
SE290G20	290mm	GALVABOND®	2.0mm	SS580G 580mm stake	2400mm	
SE390G20	390mm	GALVABOND®	2.0mm	SS780G 780mm stake	2400mm	
SE590G20	590mm	GALVABOND®	2.0mm	SS1180G 1180mm stake	2400mm	
SE100G25	100mm	GALVABOND®	2.5mm	SS300G 300mm stake	2400mm	
SE150G25	150mm	GALVABOND®	2.5mm	SS400G 400mm stake	2400mm	
SE185G25 **	185mm	GALVABOND®	2.5mm	SS400G 400mm stake	2400mm	
SE230G25 **	230mm	GALVABOND®	2.5mm	SS450G 450mm stake	2400mm	
SE290G25 **	290mm	GALVABOND®	2.5mm	SS580G 580mm stake	2400mm	
SE390G25 **	390mm	GALVABOND®	2.5mm	SS780G 780mm stake	2400mm	
SE590G25 **	590mm	GALVABOND®	2.5mm	SS1180G 1180mm stake	2400mm	



www.shapescaper.com.au

SHAPESCAPER® ZINMAG steel garden edging

Manufactured in Australia with Nam Kim Steel

Lengths are supplied with connector plates and fasteners. Pre-drilled holes make assembly and alignment easy. SHAPESCAPER® landscape edging is a modular steel landscaping system available in eight profile heights at 75mm, 100mm, 150mm, 185mm, 230mm, 290mm, 390mm and 590mm. All lengths are 2400mm long and the lower profiles can be shaped on site into angled bends or flowing curves. SHAPESCAPER® ZINMAG steel garden edging is made using ZINMAG from Nam Kim steel. In terms of corrosion resistance, ZINMAG is 10 to 20 times better than hot-dip zinc-coated steel sheets.

ZINMAG GARDEN EDGING all prices inc GST

Product Code	Edging Height	Steel Type	Steel Thickness	Recommended Stakes	Edging Length	Notes
SE100Z20	100mm	ZINMAG	2.0mm	SS300Z 300mm stake	2400mm	
SE150Z20	150mm	ZINMAG	2.0mm	SS400Z 400mm stake	2400mm	
SE185Z20	185mm	ZINMAG	2.0mm	SS400Z 400mm stake	2400mm	
SE230Z20	230mm	ZINMAG	2.0mm	SS450Z 450mm stake	2400mm	
SE290Z20	290mm	ZINMAG	2.0mm	SS580Z 580mm stake	2400mm	
SE390Z20	390mm	ZINMAG	2.0mm	SS780Z 780mm stake	2400mm	
SE590Z20	590mm	ZINMAG	2.0mm	SS1180Z 1180mm stake	2400mm	
SE100Z25	100mm	ZINMAG	2.5mm	SS300Z 300mm stake	2400mm	
SE150Z25	150mm	ZINMAG	2.5mm	SS400Z 400mm stake	2400mm	
SE185Z25 **	185mm	ZINMAG	2.5mm	SS400Z 400mm stake	2400mm	
SE230Z25 **	230mm	ZINMAG	2.5mm	SS450Z 450mm stake	2400mm	
SE290Z25 **	290mm	ZINMAG	2.5mm	SS580Z 580mm stake	2400mm	
SE390Z25 **	390mm	ZINMAG	2.5mm	SS780Z 780mm stake	2400mm	
SE590Z25 **	590mm	ZINMAG	2.5mm	SS1180Z 1180mm stake	2400mm	

ZINMAG rings are also available on request.

** please note 14-21 days lead time required



www.shapescaper.com.au

SHAPESCAPER® stakes and connectors

Manufactured in Australia with BlueScope® Steel

All SHAPESCAPER® stakes and connectors feature precision pre-drilled holes that align with corresponding holes pre-drilled along the full length of all SHAPESCAPER® edging.

A choice of holes along each length allow for either the recommended x3 stakes per length or x4 stakes per length for specific applications, such as long straight runs of edging in light soils or heavy traffic areas.

Lower profile stakes such as the 400mm long ribbed stake offer a choice of fastening heights that can be varied depending on the profile of the edging being installed along with the required fastener depth.

Stakes can be installed by matching up the corresponding holes in the edging and then secured by screwing in from the front. Alternatively stakes can be installed by screwing them in through a pre-drilled stake hole into any part of the edging along the back face.

It is important to check that all screwed fittings are placed well under the soil level and will not cause an injury while weeding etc. All fastening above soil level should be fitted off using the supplied rivets.

STAKES

Product Code	Stake Description	Recommended Use	Steel Type	Steel Thickness	Stake Length	Stake Width	Notes
SS230R	230mm Ribbed Stake	75mm edging	REDCOR®	2.5mm	230mm	45mm	
SS300R	300mm Ribbed Stake	100mm edging	REDCOR®	2.5mm	300mm	50mm	
SS400R	400mm Ribbed Stake	150mm & 185mm edging	REDCOR®	2.5mm	400mm	55mm	
SS450R	450mm L-Profile Stake	230mm edging	REDCOR®	3.0mm	450mm	42x40mm	
SS580R	580mm L-Profile Stake	290mm edging	REDCOR®	3.0mm	580mm	42x40mm	
SS780R	780mm L-Profile Stake	390mm edging	REDCOR®	3.0mm	780mm	42x40mm	
SS1180R	1180mm L-Profile Stake	590mm edging	REDCOR®	3.0mm	1180mm	42x40mm	
SS230G	230mm Ribbed Stake	75mm edging	GALVABOND®	2.5mm	230mm	45mm	
SS300G	300mm Ribbed Stake	100mm edging	GALVABOND®	2.5mm	300mm	50mm	
SS400G	400mm Ribbed Stake	150mm & 185mm edging	GALVABOND®	2.5mm	400mm	55mm	
SS450G	450mm L-Profile Stake	230mm edging	GALVABOND®	3.0mm	450mm	42x40mm	
SS580G	580mm L-Profile Stake	290mm edging	GALVABOND®	3.0mm	580mm	42x40mm	
SS780G	780mm L-Profile Stake	390mm edging	GALVABOND®	3.0mm	780mm	42x40mm	
SS1180G	1180mm L-Profile Stake	590mm edging	GALVABOND®	3.0mm	1180mm	42x40mm	
SS230Z	230mm Ribbed Stake	75mm edging	ZINMAG	2.5mm	230mm	45mm	
SS300Z	300mm Ribbed Stake	100mm edging	ZINMAG	2.5mm	300mm	50mm	
SS400Z	400mm Ribbed Stake	150mm & 185mm edging	ZINMAG	2.5mm	400mm	55mm	
SS450Z	450mm L-Profile Stake	230mm edging	GALVABOND®	3.0mm	450mm	42x40mm	
SS580Z	580mm L-Profile Stake	290mm edging	GALVABOND®	3.0mm	580mm	42x40mm	
SS780Z	780mm L-Profile Stake	390mm edging	GALVABOND®	3.0mm	780mm	42x40mm	
SS1180Z	1180mm L-Profile Stake	590mm edging	GALVABOND®	3.0mm	1180mm	42x40mm	



www.shapescaper.com.au

SHAPESCAPER® pre-made edging corners

Manufactured in Australia with BlueScope® Steel

Corner lengths are supplied complete with connector plates and screws. Pre-drilled holes make assembly and alignment easy. SHAPESCAPER® pre-made corners are available in taller profile heights.


While the 75mm, 100mm, 150mm and 185mm can easily be shaped on site to form 90° bends, the higher profiles require either the use of our custom bending service or our pre-made corners.

REDCOR® EDGING CORNERS

also available in GALVABOND® & ZINMAG

Product Code	Edging Height	Steel Type	Steel Thickness	Corner length	Notes
Internal Corners					
SECI185R20	185mm	REDCOR®	2.0mm	300x300mm	
SECI230R20	230mm	REDCOR®	2.0mm	300x300mm	
SECI290R20	290mm	REDCOR®	2.0mm	300x300mm	
SECI390R20	390mm	REDCOR®	2.0mm	300x300mm	
SECI590R20	590mm	REDCOR®	2.0mm	300x300mm	
External Corners					
SECE185R20	185mm	REDCOR®	2.0mm	300x300mm	
SECE230R20	230mm	REDCOR®	2.0mm	300x300mm	
SECE290R20	290mm	REDCOR®	2.0mm	300x300mm	
SECE390R20	390mm	REDCOR®	2.0mm	300x300mm	
SECE590R20	590mm	REDCOR®	2.0mm	300x300mm	

Internal Corner



External Corner



90° ANGLED SURFACE BRACKET

also available in GALVABOND® & ZINMAG

SAB105R **	REDCOR ANGLED BRACKETS, 105mm	
SAB155R **	REDCOR ANGLED BRACKETS, 155mm	
SAB190R **	REDCOR ANGLED BRACKETS, 190mm	
SAB235R **	REDCOR ANGLED BRACKETS, 235mm	
SAB295R **	REDCOR ANGLED BRACKETS, 295mm	
SAB395R **	REDCOR ANGLED BRACKETS, 395mm	
SAB595R **	REDCOR ANGLED BRACKETS, 595mm	

90° Angled Surface Bracket



SPECIAL PRODUCTION

Quoting on custom work is available and should be requested via email:

info@idealedging.com.au

** please note 14-21 days
lead time required

Please include a sketch with all relevant measurements ie. the angle of all bends in degrees, the radius and length of arc for all bends, the material specification, profile height and whether an internal or external lip is required. Custom work has a lead time of between 5 and 15 days.



www.shapescaper.com.au

SHAPESCAPER® steel planter rings

Manufactured in Australia with BlueScope® Steel



Rings are supplied as either open or closed (please see table below for the default).

All rings can be ordered as either “open” or “closed”. Closed rings are supplied fully riveted, while open rings feature pre-drilled holes and pre-fixed connector plates that make alignment and closure quick and easy using the supplied rivets. SHAPESCAPER® planter rings are available in eights profile heights at 100mm, 150mm, 185mm, 230mm, 290mm, 390mm, 590mm, 800mm.

REDCOR® RINGS also available in GALVABOND® & ZinMag®

Product Code	Ring Height	Steel Type	Diameter	Default Open/Closed	Notes
SR100R575	100mm	REDCOR®	575mm	Open	
SR150R575	150mm	REDCOR®	575mm	Open	
SR185R575	185mm	REDCOR®	575mm	Open	
SR230R575	230mm	REDCOR®	575mm	Closed	
SR290R575	290mm	REDCOR®	575mm	Closed	
SR390R575	390mm	REDCOR®	575mm	Closed	
SR590R575	590mm	REDCOR®	575mm	Closed	
SR800R575	800mm	REDCOR®	575mm	Closed	
SR100R765	100mm	REDCOR®	765mm	Open	
SR150R765	150mm	REDCOR®	765mm	Open	
SR185R765	185mm	REDCOR®	765mm	Open	
SR230R765	230mm	REDCOR®	765mm	Closed	
SR290R765	290mm	REDCOR®	765mm	Closed	
SR390R765	390mm	REDCOR®	765mm	Closed	
SR590R765	590mm	REDCOR®	765mm	Closed	
SR800R765	800mm	REDCOR®	765mm	Closed	
SR100R950	100mm	REDCOR®	950mm	Open	
SR150R950	150mm	REDCOR®	950mm	Open	
SR185R950	185mm	REDCOR®	950mm	Open	
SR230R950	230mm	REDCOR®	950mm	Closed	
SR290R950	290mm	REDCOR®	950mm	Closed	
SR390R950	390mm	REDCOR®	950mm	Closed	
SR590R950	590mm	REDCOR®	950mm	Closed	
SR800R950	800mm	REDCOR®	950mm	Closed	
SR100R1150	100mm	REDCOR®	1150mm	Open	
SR150R1150	150mm	REDCOR®	1150mm	Open	
SR185R1150	185mm	REDCOR®	1150mm	Open	
SR230R1150	230mm	REDCOR®	1150mm	Closed	
SR290R1150	290mm	REDCOR®	1150mm	Closed	
SR390R1150	390mm	REDCOR®	1150mm	Closed	
SR590R1150	590mm	REDCOR®	1150mm	Closed	
SR800R1150	800mm	REDCOR®	1150mm	Closed	

* please note 7 days lead time required for all GAL & ZinMag rings



www.shapescaper.com.au

REDCOR® RINGS cont.

Product Code	Ring Height	Steel Type	Diameter	Default Open/Closed	Notes
SR100R1530	100mm	REDCOR®	1530mm	Open	
SR150R1530	150mm	REDCOR®	1530mm	Open	
SR185R1530	185mm	REDCOR®	1530mm	Open	
SR230R1530	230mm	REDCOR®	1530mm	Closed	
SR290R1530	290mm	REDCOR®	1530mm	Closed	
SR390R1530	390mm	REDCOR®	1530mm	Closed	
SR590R1530	590mm	REDCOR®	1530mm	Closed	

“D” RING PLANTERS

SD390R940	390mm	REDCOR®	940mm	Closed	
SD590R940	590mm	REDCOR®	940mm	Closed	
SD800R940	800mm	REDCOR®	940mm	Closed	
SD390R1170	390mm	REDCOR®	1170mm	Closed	
SD590R1170	590mm	REDCOR®	1170mm	Closed	
SD800R1170	800mm	REDCOR®	1170mm	Closed	

TRIPLE RINGS

SRT390R765	390mm	REDCOR®	x3 ring multi-tiered planter footprint Ø 1180mm	
SRT590R765	590mm	REDCOR®	x3 ring multi-tiered planter footprint Ø 1180mm	



SHAPESCAPER® modular steel landscaping


Manufactured in Australia with BlueScope® Steel

SHAPESCAPER® planters feature a modular design that create extremely durable and attractive REDCOR® weathering steel planters suitable for both domestic and commercial installation.

The design incorporates smooth rounded edges and a top 40mm x 20mm return rim for added strength and safety. Planters are supplied in two halves that are easily joined. They can also be combined with a range of extender lengths to create your own custom designs. Pre-drilled alignment holes make assembly very quick and easy. Planters come in either a 500mm or 700mm profile height. Custom bases and feet are also available.

HEXAGON PLANTERS

Product Code	Planter Height	Steel Type	Planter Dimensions	Notes
SPH54R **	500mm	REDCOR®	Hexagon Planter 500mm high, 400mm sides	
SPH56R **	500mm	REDCOR®	Hexagon Planter 500mm high, 600mm sides	
SPH58R **	500mm	REDCOR®	Hexagon Planter 500mm high, 800mm sides	
SPH74R **	700mm	REDCOR®	Hexagon Planter 700mm high, 400mm sides	
SPH76R **	700mm	REDCOR®	Hexagon Planter 700mm high, 600mm sides	
SPH78R **	700mm	REDCOR®	Hexagon Planter 700mm high, 800mm sides	




** please note 14-21 days lead time required

www.shapescaper.com.au

500mm High MODULAR BOX PLANTERS

Product Code	Planter Height	Steel Type	Planter Dimensions	Notes
SPB544R**	500mm	REDCOR®	Box Planter 400mm x 400mm	
SPB566R**	500mm	REDCOR®	Box Planter 600mm x 600mm	
SPB584R**	500mm	REDCOR®	Box Planter 800mm x 400mm	
SPB588R**	500mm	REDCOR®	Box Planter 800mm x 800mm	
SPB51010R**	500mm	REDCOR®	Box Planter 1000mm x 1000mm	
SPB51212R	500mm	REDCOR®	Box Planter 1200mm x 1200mm	
SPB5168R	500mm	REDCOR®	Box Planter 1600mm x 800mm	
SPB5186R	500mm	REDCOR®	Box Planter 1800mm x 600mm	
SPB5204R	500mm	REDCOR®	Box Planter 2000mm x 400mm	



700mm High MODULAR BOX PLANTERS

SPB744R**	700mm	REDCOR®	Box Planter 400mm x 400mm	
SPB766R**	700mm	REDCOR®	Box Planter 600mm x 600mm	
SPB784R**	700mm	REDCOR®	Box Planter 800mm x 400mm	
SPB788R**	700mm	REDCOR®	Box Planter 800mm x 800mm	
SPB71010R**	700mm	REDCOR®	Box Planter 1000mm x 1000mm	
SPB71212R	700mm	REDCOR®	Box Planter 1200mm x 1200mm	
SPB7168R	700mm	REDCOR®	Box Planter 1600mm x 800mm	
SPB7186R	700mm	REDCOR®	Box Planter 1800mm x 600mm	
SPB7204R	700mm	REDCOR®	Box Planter 2000mm x 400mm	

** please note 14-21 days lead time required



QR link to videos

www.shapescaper.com.au

SHAPESCAPER® modular steel landscaping


Manufactured in Australia with BlueScope® Steel

The SHAPESCAPER® Hexagon and Box planters can both be easily customised on site to fit a wide range of designs simply by using the extensions pieces listed below. Straight length extenders and 90° corners are typically used to modify box planters while the 60° corners are commonly used to modify hexagon planters. The planter system is however completely modular, being totally interchangeable across the range, even when joining the 500mm and 700mm profiles.



Modular Box Planter Extenders and Corners

Product Code	Planter Height	Steel Type	Extender Side length	Notes
PLANTER STRAIGHT EXTENDER LENGTHS				
SPS56R **	500mm	REDCOR®	600mm	
SPS512R **	500mm	REDCOR®	1200mm	
SPS518R **	500mm	REDCOR®	1800mm	
SPS524R **	500mm	REDCOR®	2400mm	
SPS76R **	700mm	REDCOR®	600mm	
SPS712R **	700mm	REDCOR®	1200mm	
SPS718R **	700mm	REDCOR®	1800mm	
SPS724R **	700mm	REDCOR®	2400mm	
PLANTER INTERNAL CORNER EXTENDER LENGTHS				
SP60CI52 **	500mm	REDCOR®	200mm x 200mm	
SP60CI53 **	500mm	REDCOR®	300mm x 300mm	
SP60CI54 **	500mm	REDCOR®	400mm x 400mm	
SP90CI54 **	500mm	REDCOR®	400mm x 400mm	
SP60CI72 **	700mm	REDCOR®	200mm x 200mm	
SP60CI73 **	700mm	REDCOR®	300mm x 300mm	
SP60CI74 **	700mm	REDCOR®	400mm x 400mm	
SP90CI74 **	700mm	REDCOR®	400mm x 400mm	
PLANTER EXTERNAL CORNER EXTENDER LENGTHS				
SP90CE54 **	500mm	REDCOR®	400mm x 400mm	
SP90CE58 **	500mm	REDCOR®	800mm x 800mm	
SP90CE510 **	500mm	REDCOR®	1000mm x 1000mm	
SP90CE512 **	500mm	REDCOR®	1200mm x 1200mm	
SP90CE74 **	700mm	REDCOR®	400mm x 400mm	
SP90CE78 **	700mm	REDCOR®	800mm x 800mm	
SP90CE710 **	700mm	REDCOR®	1000mm x 1000mm	
SP90CE712 **	700mm	REDCOR®	1200mm x 1200mm	

** please note 14-21 days lead time required



www.shapescaper.com.au



IDEAL EDGING

CLASSIC LINES TIMELESS CREATIONS

NSW distributor of SHAPESCAPER® modular steel garden edging and planters

P 02 9526 7606

A 1 / 15-23 Kumulla Rd, Miranda, 2228

www.ideal edging.com.au

info@ideal edging.com.au



All SHAPESCAPER® modular raised planter and edging systems feature precision made pre-drilled holes for easy assembly. The innovative new design rapidly transforms your landscape project from concept to completion with the minimum of fuss and professional results. The inherent strength and durability of SHAPESCAPER® products make them ideal for commercial applications while the ease and speed of installation provide the perfect start to creating your own DIY landscape projects.



© 2025

www.shapescaper.com.au